



## SUNBRELLA UPHOLSTERY FABRIC ABRASION - PILLING - SEAM SLIPPAGE - WYZENBEEK

Date : September 2020

DESIGN + PERFORMANCE™

CONSTRUCTIONS	AVERAGE / ABRASION <i>Standard : ISO 12947 - 2 / cycles</i>	WYZENBEEK CH / TR <i>Standard ASTM 4157</i>		PILLING <i>Standard : ISO 12945 - 2</i>	SEAM SLIPPAGE (180 N) <i>Standard : ISO 13936-2</i>	
		WARP	WEFT		WARP	WEFT
ARCHI	29000	15000	17000	4	<1	<5
CHARTRES	35000	12800	10500	4/5	<3	<4
DEAUVE	26000	20000	7525	4	<3	<8
DOMINO	80000	17000	10000	4/5	<1	<4
FOUTAH	20000	32000	6400	4/5	<3	<5
HERITAGE	22000	70000	40000	5	<3	<4
IKEBANA	20000	10400	10900	3	<1	<1
KOMO	9000	12000	12000	4/5	<1	<1
LOPI	90000	20000	20000	5	<1	<2
MAJESTIC	23000	12000	12000	5	<1	<1
MARQUETRY	18000	17500	15000	4/5	<2	<1
MEZZO	22000	41000	10500	5	<3	<3
NATTE	30000	32000	6400	4/5	<3	<5
RELAX	32000	62000	75000	4/5	<2	<3
SAVANE	38000	14500	10500	5	<5	<3
SLING AUGUSTINE	10000	100000	100000	5	<2	<2
SLING LOGAN	40000	100000	90000	5	<3	<3
SLING SAILING	10000	100000	4500	5	<2	<2
SOLIDS & STRIPES	30000	26700	10800	5	<3	<3
ZORI	37000	15000	16000	5	<2	<2

*Sandrine Delattre*  
Quality department of Sunbrella